

## Laboratory Ultrasonic Cleaning Equipments 720W 38L Large Tank Adjustable Timer

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, REACH
- Model Number: JP-120S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 8000 pcs per month



### Product Specification

- Model: JP-120S
- First Tank Volume: 38L
- Tank Size: 500\*300\*250mm
- Ultrasonic Power: 720W
- Heating Power: 800W
- Frequency: 40KHz
- Timer: 0~30 Minutes Adjustable
- Temperature: 20~80 Adjustable
- Highlight: **ultrasonic bath cleaner, table top ultrasonic cleaner**



### More Images



## Product Description

### 38L Large Tank Laboratory Ultrasonic Cleaner 720W with Heating Function

#### Laboratory ultrasonic cleaner

Mainly used for cleaning various laboratory instruments, containers, various oral liquid containers, food glass metal containers, cosmetics containers, packaging containers, dental appliances cleaning and inspection boards.

More and more laboratories are aware of the convenience and practicality of ultrasonic cleaning. For the inner wall of the experimental glassware, it has always been difficult for people to wash it by hand, and the laboratory ultrasonic cleaning machine solves this problem very well.

Because the energy of ultrasonic waves can penetrate the inner walls of glassware and tiny gaps, small holes, and dead ends, it can be used to clean any glassware, test tubes, beakers, parts or assemblies. When the parts to be cleaned are precision glassware, parts or assemblies, ultrasonic cleaning is often the only way to meet their special technical requirements.

#### Specification:

Model	JP-120S
Ultrasonic frequency	40,000Hz
Material of tank	SUS304
Material of shell	SUS304
Capacity	30L
Drain value	Yes
Timer	0~30 mins adjustable
Temperature	20~80 adjustable
Power supply type 1	AC 100~120V, 50/60Hz
Power supply type 2	AC 220~240V, 50/60Hz
Ultrasonic power	720W
Heating Power	800W
Tank inner dimension	500*300*250mm
Unit dimension	585*347*385mm
Packing size	680*455*450mm
N.W.	19kg
G.W.	20kg
Certificate	FCC & CE & RoHS & REACH

#### Similar models with different capacity:

##### ***Stainless Bench Top***

Model	Capacity (L)	Tank Size (L*W*H)mm	Ultrasonic Power (W)	Heating Power (W)	Frequency (KHz)
008	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010S	2	150*165*100	60	100	40
JP-020S	3.2	240*135*100	120	100	40
JP-030S	4.5	300*150*100	180	200	40
JP-031S	6.5	300*150*150	180	200	40
JP-040S	10	300*240*150	240	200	40
JP-060S	15	330*300*150	360	300	40
JP-080S	22	500*300*150	480	500	40
JP-100S	30	500*300*200	600	500	40
<b>JP-120S</b>	<b>38</b>	<b>500*300*250</b>	<b>720</b>	<b>800</b>	<b>40</b>

#### Cleaning effect:



Before



After



Before



After

#### Certificate

Skymer passed Kmart inspected factory on 2015 taken by SGS, and Code of Conduct audit by Birgma, and each year factory audit taken by SGS, CE, ROHS, ISO9001:2008, FCC, C-Tick, Hi-New Technology Enterprise



**Skymer Technology Corporation Limited**



86-755-27094405



info@skymer.cc



skymerultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen