

## REACH 600W 15L Digital Ultrasonic Cleaner For Hardware Parts

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:



China

Skymen

CE, ROHS, FCC



#### **Product Specification**

- Ultrasonic Power:
- Heating Power:Tank Capacity:

15

- Inner Tank Size:
- Machine Dimension:
- Gross Weight:
- Highlight:

### 15L 13x11.8x5.9" 15.7x13.8x11"

360/600W

300W

- 10.5KG
- 600W Digital Ultrasonic Cleaner, 15L Digital Ultrasonic Cleaner, Hardware Parts Sonic Ultrasonic Bath



Brand	Skymen					
Model		JP-060PLUS				
Tank size	330*300*150mm	Unit size	400"350"280mm			
Tank material	SUS 304	Thickness	1.1mm			
Capacity	15L	Control panel	20" slope Touch control			
Ultrasonic power	350W	Plus power	600W			
Frequency	40KHz	Transducer pcs	10 pcs			
Heating power	300W	Drain value	Yes			
Timer	0-99 minutes	Basket	stainless steel basket			
Heater	Normal-80°C	Plus power	AC 110V; AC 220V			
Application	Ultrasonic clean, emulsify, mixing, extraction, disperse, ect.					
Spare part	Basket, warranty card, certificate of quality, manual					

#### **Product Description**

Ultrasonic Cleaner for Precision Hardware Parts 15L Ultrasonic Bath

An ultrasonic cleaner is a device that cleans items by using ultrasound and water or an appropriate cleaning solvent.

Also, it can be said to be a machine that offers the complete and rapid removal of dirt, germs, and other contaminants from items that are put in a tank of water that is agitated with sound waves having a high frequency.

Every ultrasonic cleaner is not constructed to be equal. There are some with bigger sizes, while you can also get a portable ultrasound machine.

They all serve the same purpose, which is cleaning, but they sometimes meet different, specific needs.

Specifications:	
Model No.	JP-060PLUS
Function	Ultrasonic cleaning + Hot water cleaning
Ultrasonic Frequency	40kHz
Tank Material	SUS 304
Tank Capacity	15 Liter
Inner tank dimension	330*300*150mm / 13x11.8x5.9" (Length*width*deep)
Machine dimension	400*350*280mm / 15.7x13.8x11"(Length*width*height)
Gross weight of machine	10.5KG; packed by foam in carton
Ultrasonic Power	360/600W
Heating Power	300W
Time setting of Ultrasonic	0~30 minutes
Temperature setting	Room temperature ~ 80°C / 176°F adjustable
Drain value	Yes
Lid	Yes
Basket	Yes
Power supply	220V, 110V
Warranty	1 Year, free spare parts within 1 year, online technical support
Certificate	CE; RoHS; FCC; REACH
Lead time	3 Working days
Shipping time	5~7 day by express



# **Skymen New Arrival PLUS Series**

Digital Timing and heating adjustable



Sama ca	ria machina	with diffe	erent capacity:
Same se	ne machine	e with ame	геп сарасну.

	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequenc y	Tank thickness	Material
Model	(L)	(L*W*H)mm	(W)	(W)	(KHz)	(mm)	SUS304

JP- 020PLU S	3.2	240*135*10 0	120/180	100	40	1	SUS304
JP- 030PLU S	4.5	300*150*10 0	180/300	200	40	1	SUS304
JP- 031PLU S	6.5	300*150*15 0	180/300	200	40	1	SUS304
JP- 040PLU S	10	300*240*15 0	240/480	200	40	1	SUS304
JP- 060PLU S	15	330*300*15 0	360/600	300	40	1	SUS304
JP- 080PLU S	22	500*300*15 0	480/840	500	40	1	SUS304
JP- 100PLU S	30	500*300*20 0	600/1080	500	40	1	SUS304

Cleaning effect show:

