

JP-600ST SUS304 EMF Industrial Ultrasonic Cleaning Machine 40KHz FCC For Car Part

Basic Information

- Place of Origin:
- Brand Name:Certification:
- Model Number:
- Minimum Order Quantity: 1 unit
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



DODDAN

Product Specification

- Certification:
- Condition:

• Power:

CE,RoHS,CSA,FCC,EMF New

3000W

China

Skymen

JP-600ST

Negotiation

In Stock T/T

1000PCS/month

Wooden case packag size: 1120*1460*1070mm Wooden case

CE, FCC, Rohs

- Frequency:
- Tank Capacity:
- Machine Type:
- Highlight:

3000W 28KHz/40KHz

- 264L
 - Industrial Ultrasonic Cleaner
 - EMF Industrial Ultrasonic Cleaning Machine, SUS304 Industrial Ultrasonic Cleaning Machine, 40KHz FCC Ultrasonic Auto Parts Cleaner



More Images



Product Description

JP-600ST Sonic Cleaner 264L Industrial Commercial Ultrasonic Cleaning Machine for Car Part Degreasing Cleaning

Function:

Ultrasound is the most efficient and cost effective method of removing Carbon, oil, rust, build-up dirt

Features:

1. stainless steel tank has resistance to wear and long work life.

- 2. tank capacity: 264Liter
- 3. with Stainless steel basket
- 4. Use just tab water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
- 5. industrial control chip microcontroller.flexible circuit boards control, more secure & stable
- 6. with drainage,basket,lid and Multi-direction castors
- 7. Transducer : Korea techinique
- 8. PCB board is independent research and development design production by skymen
- 9. It can applied to clean cast iron, steel, stainless steel, brass, bronze

Ultrasonic Cleaner's Specificatoin:

Model	JP-600ST		
Ultrasonic power	3000W (60pcs transducers)		
Frequency	40KHz / 28KHz		
Housing material	SUS304		
Tank material	SUS304 / 316		
Heating power	6000W		
Tank capacity	264L		
Timer	Digital 1-99min adjustable		
Heater	0~80		
	AC 220V, 3phase 50Hz		
Voltage			
	AC 380V, 3phase 50Hz		
Tank size	800X600X550mm		
Unit size	1060*855*940mm		
Packing sizex	1140*920*1055mm Wooden case		
N.W.	150 Kg		
G.W.	180 Kg		
Certificate	ISO9001:2008 CE & RoHS		

From 10 galles to 200 gallons, the size of tank could be customized.

The whole set machine including:

1* cleaning machine

1* lid

1* basket



Similar models with different tank volume:

	Tank size	Volume	Ultrasonic	Heating	Transducer
Model			Power	Power	
	L*W*H (mm)	(L)	(W)	(W)	(pcs)
JP-120ST	500X300X250	38L	600W	1500W	12pcs
JP-180ST	500X350X300	53L	900W	1500W	18pcs
JP-240ST	550X400X350	77L	1200W	3000W	24pcs
JP-300ST	550X450X400	99L	1500W	4500W	30pcs
JP-301ST	800X300X400	96L	1500W	4500W	30pcs
JP-360ST	600X500X450	135L	1800W	4500W	36pcs
JP-480ST	700X500X500	175L	2400W	6000W	48pcs
JP-600ST	800X600X550	246L	3000W	6000W	60pcs
JP-720ST	1000X600X600	360L	3600W	9000W	72pcs
JP-1108ST	1000X900X600	540L	5400W	18000W	108pcs
JP-1144ST	1200X1000X800	960L	7200W	27000W	144pcs

How to use an ultrasonic cleaner ?

Cleaning prior to lacquering

Ultrasonic clean 130° F, 2 to 3 minutes, 38 to 40 kHz sweep, 300 Hz sweep rate Chemistry, Brulin 815GD, 12 ounces per gallon of water Spray rinse with de-ionized* water to remove gross detergent Immersion rinse in flowing warm de-ionized* water (30 seconds) Spray rinse with de-ionized* water (final rinse) Blow dry with clean compressed air or dry nitrogen

Cleaning to remove calcium buildup (replaces "chem-clean")

Ultrasonic clean <110° F, 2 to 3 minutes, 38 to 40 kHz sweep, 300 Hz sweep rate Chemistry, Ultra-power 132, 1 to 1½ ounces per gallon of water Spray rinse with de-ionized* water to remove gross detergent Immersion rinse in flowing warm de-ionized* water (30 seconds) Spray rinse with de-ionized* water (final rinse) Blow dry with clean compressed air or dry nitrogen

Package by polywooden case:

Ultrasonic Cleaner's Cleaning Effect:

CLEANING EFFECT

Better cleaning when cleaning with detergent



Our service:

1. Warranty:

12 months warranty for Skymen ultrasonic cleaner.

If any technical problem during warranty time, replacement parts will be sent free of charge.

Technical support is also available in whole time.

2. After-sales

Our machines undergo an extensive and strict testing and quality control procedure, ensuring every item purchased meet global quality standards.

♦ Payment Methods♦

These payments of T/T,Western Union,Paypal are accepted. If you have any problem with the payment, please leave a message to us.

♦ Logistics

DHL, EMS and Fedex are our choices. If you prefer other reliable shipping company, please leave a message to us.

♦ Tracking Number♦

Tracking number will be informed within 2-3 work days after delivery goods. If you have any problem with it, please leave a message to us.

♦ Feedback♦

Any comments, suggestions are accepted. We will be very grateful to your positive footprints left in our company. If you have any problem with our products, please leave a message to us.

♦ Refund♦

Any damage or shortage of our goods after you receive your items, please take some photos for a witness. We will deal with it in 24 hours. Frequently, we will send a new part of items for heavy-damage. Before refund is accepted, please leave a message to us.

	skymen Skyme	n Technology Corpo	pration Limited
O	86-755-27094405	info@skymen.cc	skymenultrasonic.com
Floor 1st & 2nd, Bu	uilding 3, Tanggang Taifeng	Industrial Park, Dawangsha District, Shenzhen	an Community, Shajing Street, Bao'an